

GEORGETOWN TOWNSHIP
PETITION FOR LOCATING, ESTABLISHING
AND CONSTRUCTING A DRAIN

200 BALDWIN STREET CHP. 20 DRAIN

To the Ottawa County Water Resources Commissioner:

The undersigned is Georgetown Township, Ottawa County, Michigan. This petition has been duly authorized by the governing body of Georgetown Township and requests that the Baldwin Street Drain be located, established and constructed under the provisions of Chapter 20 of Public Act 40 of 1956, as amended, for purposes of facilitating a public improvement consisting generally of:

Establishment of storm sewer systems under the authority of Ottawa County Water Resources Department.

The proposed drain is located in Georgetown Township, Ottawa County, Michigan.


The proposed drain and public improvement are necessary for the public health in Georgetown Township.


Georgetown Township consents to the location, establishment and construction of the drain and commencement of the public improvement within its boundaries. It understands that it will be liable for an assessment against it for the cost of the proposed drain.

The tentative location of the proposed Baldwin Street Drain is described as follows:

Beginning at a point on East quarter section line of T6N R13W Sec. 13; West 1548 ft and South 24 ft to a place of beginning. Thence N 26-34-11 E= 62.75ft; S 87-50-18 E= 520.09 to a location point A. Thence S 50-39-37 E= 78.56ft to point of ending. Starting again at point A. Thence S 84-16-43 E=57.68 ft; S 75-36-29 E = 726.12 ft to a point being Point B. Thence S 22-40-24 W=57.19 ft; S 75-11-54 E= 84.08ft to a point of ending. Beginning again at point B heading a direction of S 74-34-09 E = 224.78ft to a point C, Thence S 13-47-32 W= 51.88ft; S57-51-22 E=85.65 ft to point of ending. Beginning again at point C; S 78-12-19 E=196.20 ft to a location point D, Thence S 83-44-34 E=99.15 ft to point of ending. Then beginning at point D. From Point D going a direction of S 18-28-47 E= 72.9 ft to a point with two segments from this location, one being N-76-44-47 W a distance of 86.97ft and another being S 79-26-21 E= 90.84 ft from that location to point of ending. Starting again at Point D location thence, N 10-59-06 E= 38.26 ft. to point of ending out letting to Rush Creek.

Dated: August 26, 2019


By: Jim Wierenga
Its: Supervisor


By: Richard VanderKlok
Its: Clerk

**RESOLUTION FOR
PETITION TO LOCATE, ESTABLISH AND CONSTRUCT A DRAIN**

GEORGETOWN TOWNSHIP

200 BALDWIN STREET CHP. 20 DRAIN

At a Regular meeting of the Georgetown Township Board, held in Ottawa County, State of Michigan on the 26th day of August, 2019, at 7:00 a.m./p.m.

PRESENT: Jim Wierenga, Rich VanderKlok, Jason Minier, Michael Bosch, Becky Steele, John Schwalm

ABSENT: Carol Scholma

The following resolution was offered by Rich VanderKlok and seconded by John Schwalm.

WHEREAS, the Township Board of Georgetown Township, Ottawa County, Michigan (the "Township"), has determined that the public improvement ("Project") described in the attached Exhibit A is necessary for the public health, safety, and welfare; and

WHEREAS, the Township Board desires to file a petition with the Ottawa County Water Resources Commissioner pursuant to Chapter 20 of the Drain Code, Act 40, Public Acts of Michigan, 1956, as amended, for the location, establishment, and construction of a county drain to facilitate implementation of the Project; and

WHEREAS, the tentative location of the proposed Baldwin Street Drain is described in the attached Exhibit B; and

WHEREAS, the Township will be liable for an assessment against it for the cost of the proposed drain and any costs related to the Project.

NOW, THEREFORE, BE IT RESOLVED THAT the Township Board does authorize the filing of a petition for the location, establishment and construction of the drain.

BE IT FURTHER RESOLVED THAT the Supervisor is authorized to execute the petition for the location, establishment and construction of the drain.

BE IT FURTHER RESOLVED THAT the Township Clerk shall forward to the Ottawa County Water Resources Commissioner a copy of this Resolution for the petition for the location, establishment and construction of the drain.

BE IT FURTHER RESOLVED THAT all resolutions and parts of resolutions insofar as they conflict with the provisions of this resolution be and the same hereby are rescinded.

GEORGETOWN TOWNSHIP

Dated: August 26, 2019

Jim Wierenga
By: Jim Wierenga
Its: Supervisor

Yeas: Schwalm, Steele, VanderKlok, Wierenga, Minier, Bosch

Nays: NA

Abstain: NA

Absent: Scholma

Resolution No. 190826-05

I, the undersigned, being duly qualified and acting Clerk of Georgetown Township, do hereby certify that the foregoing is a true and complete copy of certain proceedings taken by the Township Board for Georgetown Township at a regular meeting held on the 26th day of August, 2019, and that notice of said meeting was given in accordance with the Open Meetings Act.

Richard VanderKlok
Richard VanderKlok, Clerk
Georgetown Township

August 26, 2019
Date

ROUTE AND COURSE DESCRIPTION

BALDWIN STREET DRAIN
OTTAWA COUNTY, MICHIGAN

A COUNTY DRAIN ESTABLISHED UNDER CHAPTER 20 OF THE MICHIGAN DRAIN CODE OF 1956, LOCATED IN SECTION 13 OF GEORGETOWN TOWNSHIP, OTTAWA COUNTY, MICHIGAN, THE CENTERLINE OF WHICH IS MORE PARTICULARLY DESCRIBED AS:

COMMENCING AT THE EAST 1/4 CORNER OF SECTION 13, TOWN 6 NORTH, RANGE 13 WEST, GEORGETOWN TOWNSHIP, OTTAWA COUNTY, MICHIGAN; THENCE ALONG THE EAST-WEST 1/4 LINE OF SAID SECTION N88°29'20"W 385.10 FEET; THENCE PARALLEL WITH THE EAST LINE OF SAID SECTION S01°22'35"W 72.78 FEET TO THE POINT OF BEGINNING; THENCE S07°48'09"W 32.04 FEET; THENCE S16°21'37"W 9.37 FEET; THENCE N75°31'14"W 195.91 FEET; THENCE N74°31'05"W 224.42 FEET; THENCE N09°27'00"E 6.88 FEET; THENCE N53°03'30"W 15.06 FEET TO A POINT ON THE EAST-WEST 1/4 LINE OF SAID SECTION, SAID POINT BEING N88°29'20"W 810.85 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION; THENCE N74°29'39"W 71.44 FEET; THENCE N81°52'41"W 124.73 FEET; THENCE N87°38'23"W 196.10 FEET TO THE POINT OF ENDING, SAID POINT BEING N88°29'20"W 1200.07 FEET AND N01°22'35"E 34.54 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION. (875.95 FEET)

THE ESTABLISHED DRAIN INCLUDES CONNECTED CATCHBASINS AND LEADS LOCATED WITHIN PUBLIC ROAD RIGHTS-OF-WAY ALONG THE ABOVE-DESCRIBED CENTERLINE OF THE DRAIN.

TOTAL LENGTH OF DRAIN IS 876 FEET MORE OR LESS.

PREPARED BY:

FISHBECK, INC.
1515 ARBORETUM DRIVE, SE
GRAND RAPIDS, MICHIGAN 49546
616.575.3824 | <https://fishbeck.com/>