STATE OF MICHIGAN

County of Kent and County of Ottawa



Being duly sworn deposes and say he/she is Principal Clerk of



THE GRAND RAPIDS PRESS DAILY EDITION

a newspaper published and circulated in the County of Kent and the County of Ottawa and otherwise qualified according to Supreme Court Rule; and that the annexed notice, taken from said paper, has been duly published in said paper on the following day(days) A.D. 20 /8 Sworn to and subscribed before me this day of_ NOTICE OF LETTING AND DAY OF REVIEW OF DRAINAGE DISTRICT BOUNDARIES AND REVIEW OF APPORTIONMENTS in Dette NOTICE OF LETTING

Tuesday, March 6, 2018 at 1:00 p.m. 12220 Fillmore, Room 141, West Olive, Michigan (616) 994-4530

The Ottawa County Water Resources Commissioner will meet on the above date, time and cation to receive construction bids for the Eagle Ridge Estates Drain. Bids will then be ope and publicly announced.

The Eagle Ridge Estates Drain will be bid in section(s), each section having the length, average idth as set forth in the bid documents; briefly described as follows

Work shown on the drawings and specified herein generally described as: 1,733 lineal feet of open drain construction, cleanout and two-stage channel including: selective clearing, excavation, spoils management and grading, bank shaping, rip rap, restoration and 117-inch by 79-inch culvert installation. The restoration of 3 ponds and detention basins with outlet control structures including gabion baskets, cobblestone channels and sediment forebay. 1675 lineal feet of 6-inch to 24-inch enclosed storm sewer with associated appurtenances including end sections, headwalls, drainage structures, 6" service leads and infiltration swales; and also including HMA readway restration and razvel shoulders. roadway restoration and gravel shoulders.

Plans and specifications are available for viewing at the office of the Ottawa County Water Resources Commissioner, 12220 Fillmore, Room 141, West Olive, Michigan.

The Contract will be awarded to the lowest responsive and responsible bidder giving adequate security for the performance of the work and meeting all conditions represented in the Instructions to Bidders. The Contract completion date and the terms of payment will be announced at the time and place of letting. If no satisfactory bids are received, we reserve the right to reject any and all bids and to adjourn to a time and location as we shall announce.

NOTICE OF DAY OF REVIEW OF DRAINAGE DISTRICT BOUNDARIES AND REVIEW OF

DATE & TIME: Wednesday, March 14, 2018, 9:00 a.m. - 5:00 p.m. 12220 Fillmore, Room 141, West Olive, Michigan 49460

The Day of Review is an opportunity to review the Drain Drainage District boundary and apportionment of benefit with the Water Resources Commissioner and/or other staff. A map of the proposed Drainage District boundary is enclosed and can be found on the Ottawa Count Water Resources Commissioner's website at:

| Commissioner's website | Commiss

http://www.miottawa.org/Departments/Drain/

The following is a description of the lands constituting the Drainage District of said drain:

THAT PART OF SECTIONS 13, 14, AND 24 TOWNSHIP 8 NORTH, RANGE 14 WEST, POLKTON TOWNSHIP AND SECTION 18, TOWNSHIP 8 NORTH, RANGE 13-WEST, WRIGHT TOWNSHIP AND CITY OF COOPERSVILLE TOWNSHIP 8 NORTH, RANGE 14 WEST, OTTAWA COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS:

MICHIGAN, MORE PARTICULARLY DESCRIBED AS:

BEGINNING AT A POINT ON THE SOUTH LINE OF SAID SECTION 13 SAID POINT LYING EAST OF THE SOUTHWEST CORNER OF SAID SECTION 13 A DISTANCE OF 1344 FEET, THENCE N 89°59' E 265 FEET, THENCE N 81°3' E 243 FEET, THENCE N 89°50' E 247 FEET, THENCE N 1°7' E 309 FEET, THENCE N 81°3' E 243 FEET, THENCE N 0°27' E 169 FEET, THENCE N 89°19' W 112 FEET, THENCE N 0°3' E 169 FEET, THENCE N 0°27' E 169 FEET, THENCE N 89°19' W 112 FEET, THENCE N 0°14' E 192 FEET MORE OR LESS TO THE SOUTH LINE OF SAID SECTION 13, THENCE EAST ALONG THE SOUTH LINE OF SAID SECTION 13, THENCE EAST ALONG THE SOUTH LINE OF SAID SECTION 13 A DISTANCE OF 422 FEET, THENCE N 0°14' E 72 FEET, THENCE N 4°21' E 55 FEET, THENCE N 0°14' E 72 FEET, THENCE N 4°21' E 55 FEET, THENCE N 0°14' E 321 FEET, THENCE N 65°28' E 312 FEET, THENCE S 89°32' E 627 FEET, THENCE N 85°47' E 979 FEET, THENCE N 65°28' E 312 FEET, THENCE N 45°19' E 451 FEET, THENCE N 85°47' E 522 FEET, THENCE N 65°28' E 247 FEET, THENCE N 45°19' E 451 FEET, THENCE N 88°42' E 622 FEET, THENCE N 26°49' E 247 FEET, THENCE N 46°14' E 329 FEET, THENCE N 89°21' W 307 FEET, THENCE N 25°43' W 591 FEET, THENCE N 7°33' E 374 FEET, THENCE N 0°23' W 307 FEET, THENCE N 48°20' W 160 FEET, THENCE N 7°33' E 374 FEET, THENCE N 0°23' W 307 FEET, THENCE N 48°20' W 160 FEET, THENCE N 7°33' E 374 FEET, THENCE N 85°40' W 208 FEET, THENCE N 80°9' W 309 FEET, THENCE N 80°9'

CONTAINING 417.4 ACRES MORE OR LESS THE BASIS OF THIS DESCRIPTION WAS THE OTTAWA COUNTY GIS MAPPING SYSTEM AND IS SUBJECT TO ITS ACCURACY

The Water Resources Commissioner and/or other staff will be available to assist individuals throughout the day, and make revisions if necessary. There is no need to schedule an appointment for a specific time on the Day of Review. The computation of costs for the Drain will also be available at the Day of Review. Drain assessments are collected in the same manner as property taxes and will appear on your winter tax bill. If drain assessments are being collected by installment, you may pay the assessment in full with any interest to date at any time and avoid further interest charges.

Persons with disabilities needing accommodations for effective participation in the Day of Review should contact the Water Resources Commissioner's Office at the number noted abor (voice) or through the Michigan Relay Center at 7-1-1 (TDD) at least 24 hours in advance of the Day of Review to request mobility, visual, hearing or other assistance.

JANICE M. DEGRAAF
NOTARY PUBLIC, STATE OF MI
COUNTY OF KENT
MY COMMISSION EXPIRES Oct 3, 2020
ACTING IN COUNTY OF

STATE OF MICHIGAN

County of Kent and County of Ottawa



Being duly sworn deposes and say he/she is Principal Clerk of



THE GRAND RAPIDS PRESS DAILY EDITION

accord	spaper published and circulated in the County of Kent and the ling to Supreme Court Rule; and that the annexed notice, tall paper on the following day(days)	•
	March 2 A.D. 20 18	
Sworn	to and subscribed before me thisday	of March 2018
	NOTICE OF LETTING AND DAY OF REVIEW OF DRAINAGE DISTRICT BOUNDARIES AND REVIEW OF APPORTIONMENTS NOTICE OF LETTING DATE & TIME: Tuesday, March 6, 2018 at 1:00 p.m.	JANICE M. DEGRAAF NOTART PUBLIC, STATE OF MI COUNTY OF KENT MY COMMISSION EXPIRES Oct 3, 2020 ACTING IN COUNTY OF

LUCATION: QUESTIONS:

12220 Fillmore, Room 141, West Olive, Michigan (616) 994-4530

The Ottawa County Water Resources Commissioner will meet on the above date, time an cation to receive construction bids for the Eagle Ridge Estates Drain. Bids will then be op and publicly announced.

The Eagle Ridge Estates Drain will be bid in section(s), each section having the length, average depth and width as set forth in the bid documents; briefly described as follo

Work shown on the drawings and specified herein generally described as: 1,733 lineal feet of open drain construction, cleanout and two-stage channel including: selective clearing, excavation, spoils management and grading, bank shaping, rip rap, restoration and 117-inch by 79-inch culvert installation. The restoration of 3 ponds and detention basins with outlet control structures including gabion baskets, cobblestone channels and sediment forebay. 1675 lineal feet of 6-inch to 24-inch enclosed storm sewer with associated appurtenances including end sections, headwalls, drainage structures, 6" service leads and infiltration swales; and also including HMA roadway restoration and gravel shoulders.

Plans and specifications are available for viewing at the office of the Ottawa County Water Resources Commissioner, 12220 Fillmore, Room 141, West Olive, Michigan.

The Contract will be awarded to the lowest responsive and responsible bidder giving adequate security for the performance of the work and meeting all conditions represented in the Instructions to Bidders. The Contract completion date and the terms of payment will be announced at the time and place of letting. If no satisfactory bids are received, we reserve the right to reject any and all bids and to adjourn to a time and location as we shall announce

NOTICE OF DAY OF REVIEW OF DRAINAGE DISTRICT BOUNDARIES AND REVIEW OF APPORTIONMENTS

DATE & TIME: Wednesday, March 14, 2018, 9:00 a.m. - 5:00 p.m. 12220 Fillmore, Room 141, West Olive, Michigan 49460

The Day of Review is an opportunity to review the Drain Drainage District boundary and apportionment of benefit with the Water Resources Commissioner and/or other staff. A map of the proposed Drainage District boundary is enclosed and can be found on the Ottawa County Water Resources Commissioner's website at:

http://www.miottawa.org/Departments/Orain/

The following is a description of the lands constituting the Drainage District of said drain:

THAT PART OF SECTIONS 13, 14, AND 24 TOWNSHIP 8 NORTH, RANGE 14 WEST, POLKTON TOWNSHIP AND SECTION 18, TOWNSHIP 8 NORTH, RANGE 13 WEST, WRIGHT TOWNSHIP AND CITY OF COOPERSVILLE TOWNSHIP 8 NORTH, RANGE 14 WEST, OTTAWA COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS:

MICHIGAN, MORE PARTICULARLY DESCRIBED AS:

BEGINNING AT A POINT ON THE SOUTH LINE OF SAID SECTION 13 SAID POINT LYING EAST OF THE SOUTHWEST CORNER OF SAID SECTION 13 A DISTANCE OF 1344 FEET, THENCE S199*W 671 FEET, THENCE N 89*59* E 265 FEET, THENCE N 81*3* E 243 FEET, THENCE N 89*50* E 247 FEET, THENCE N 89*59* E 265 FEET, THENCE N 81*3* E 243 FEET, THENCE N 89*50* E 247 FEET, THENCE N 89*19* W 112 FEET, THENCE N 89*1* E 66 FEET, THENCE N 0*27* E 169 FEET, THENCE N 89*19* W 112 FEET, THENCE N 0*1* E 192 FEET MORE OR LESS TO THE SOUTH LINE OF SAID SECTION 13, THENCE EAST ALONG THE SOUTH LINE OF SAID SECTION 13, THENCE EAST ALONG THE SOUTH LINE OF SAID SECTION 13, THENCE EAST ALONG THE SOUTH LINE OF SAID SECTION 13 A DISTANCE OF 422 FEET, THENCE N 89*38* E 117 FEET, THENCE N 44*21* E 55 FEET, THENCE NORTH 24 FEET, THENCE N 89*38* E 117 FEET, THENCE N 85*47* E 979 FEET, THENCE N 46*28* E 312 FEET, THENCE N 85*47* E 979 FEET, THENCE N 41*4* E 378 FEET, THENCE N 45*19* E 451 FEET, THENCE S 88*518* E 106 FEET, THENCE N 2*49* E 247 FEET, THENCE N 45*19* E 451 FEET, THENCE S 88*52* E 522 FEET, THENCE N 2*49* E 247 FEET, THENCE N 36*9* W 139 FEET, THENCE N 0*23* W 307 FEET, THENCE N 48*20* W 160 FEET, THENCE N 7*33* E 374 FEET, THENCE N 80*21* E 511 FEET, THENCE N 48*20* W 160 FEET, THENCE N 7*33* E 374 FEET, THENCE N 80*30* W 38 FEET, THENCE N 48*20* W 108 FEET, THENCE N 48*20* W 198 FEET, THENCE N 86*30* W 282 FEET, THENCE N 56*45* W 108 FEET, THENCE S 40*40* W 221 FEET, THENCE N 88*30* W 1193 FEET, THENCE S 18*45* W 341 FEET, THENCE S 61*19* W 380 FEET, THENCE S 81*47* W 1193 FEET, THENCE S 18*45* W 341 FEET, THENCE S 61*19* W 380 FEET, THENCE S 81*47* W 1193 FEET, THENCE S 18*45* W 341 FEET, THENCE S 61*19* W 380 FEET, THENCE S 81*47* W 1193 FEET, THENCE S 18*45* W 341 FEET, THENCE S 61*19* W 380 FEET, THENCE S 81*47* W 1193 FEET, THENCE S 85*31* W 205 FEET, THENCE S 61*19* W 380 FEET, THENCE S 67*52* W 732 FEET, THENCE S 85*31* W 205 FEET, THENCE S 61*19* W 380 FEET, THENCE S 67*52* W 732 FEET, THENCE S 75*55* W 2

CONTAINING 417.4 ACRES MORE OR LESS THE BASIS OF THIS DESCRIPTION WAS THE OTTAWA COUNTY GIS MAPPING SYSTEM AND IS SUBJECT TO ITS ACCURACY

The Water Resources Commissioner and/or other staff will be available to assist individuals The water resources commissioner and/or other start with de available to assist individuals throughout the day, and make revisions if necessary. There is no need to schedule an appointment for a specific time on the Day of Review. The computation of costs for the Drain will also be available at the Day of Review. Drain assessments are collected in the same manner as properly taxes and will appear on your winter tax bill. If drain assessments are being collected by installment, you may pay the assessment in full with any interest to date at any time and avoid further interest charges.

Persons with disabilities needing accommodations for effective participation in the Day of Review should contact the Water Resources Commissioner's Office at the number noted abo (voice) or through the Michigan Relay Center at 7-1-1 (TDD) at least 24-hours in advance of the Day of Review to request mobility, visual, hearing or other assistance.