

**GEORGETOWN TOWNSHIP**

**PETITION FOR LOCATING, ESTABLISHING  
AND CONSTRUCTING A DRAIN**

**MAIN STREET CHP. 20 DRAIN**

To the Ottawa County Water Resources Commissioner:

The undersigned is Georgetown Township, Ottawa County, Michigan. This petition has been duly authorized by the governing body of Georgetown Township and requests that the Baldwin Street Drain be located, established and constructed under the provisions of Chapter 20 of Public Act 40 of 1956, as amended, for purposes of facilitating a public improvement consisting generally of:

Establishment of storm sewer systems under the authority of Ottawa County Water Resources Department.

The proposed drain is located in Georgetown Township, Ottawa County, Michigan.


The proposed drain and public improvement are necessary for the public health in Georgetown Township.


Georgetown Township consents to the location, establishment and construction of the drain and commencement of the public improvement within its boundaries. It understands that it will be liable for an assessment against it for the cost of the proposed drain.

The tentative location of the proposed Baldwin Street Drain is described as follows:

Beginning at a Point at the center section line of TN6 R13W Sec.13; Thence North along section line 102ft to a point of beginning of 200 Main street Drain Ch. 20. Thence S 51-02-24 E= 110ft, S 02-37-36 W= 32.24ft, S 88-01-16 E= 477.36ft, S 79-33-15 E= 232.07ft with a segment branching from this location N 01-40-22 E=68 ft. Thence continuing from previous location. S 89-56-38 E= 62ft, S 5625-41 E= 299ft to a point location that will be known as Point A. Thence from point A continuing in the direction N 35-15-30 E = 34ft, N 48-30-00 W= 97.59 ft. to a point of ending. Thence starting a Point A again, S 29-44-03 W= 229.82, S 67-19-47 W= 66.34ft, N 88-17-35 W= 309.72ft to point of ending. Thence beginning again at point A; Thence S51-12-40 E= 97ft to a Point B; Thence S 43-21-19 W=301.60ft, N 82-51-39 W= 50ft to a point that will be known as Point C. From the Point C, thence S 04-11-28 W= 45.35 ft; S 36-50 05 W=149.89ft to point of ending. Thence from point C, N 83-18-34 W= 138ft, N 05-33-05 E=28 ft to ending. Starting again at point B; Thence S 50-51-32 E=309.97 ft to a point that will be known as Point D. Thence from point D; N 38-57-56 E= 41.31ft, N 47-58-33 W= 115.61 ft, N 53-04-22 W= 129.78ft to point of ending. Thence beginning at point D again; S 37-24-27 W= 72.38ft, with a segment from here heading N 50-34-33 W= 124ft to ending. Thence beginning again S 20-19-23 E= 33ft, S 59-46-58 W=72.87 ft, N 66-17-15 W= 118.15ft to point of ending. Thence Beginning at the point D; S 42-06-12 E= 166ft, S 28-46-33 E=118ft, S 17-24-08 E= 104ft, S 05-35-07 E= 93ft to a point of ending that will be known as Point E. Thence from Point E; N 83-50-14 E= 74ft, N 11-03-10 W= 146ft to a point of ending. Then starting at the point E again; Thence heading S 03-35-59 E= 86 ft., S 69-08-26 E= 88ft, S89-33-27 E= 179ft, N 86-47-35 E=223.67 ft to a point of ending of the Main Street Ch. 20 Drain.

Dated: August 26, 2019

  
By: Jim Wierenga  
Its: Supervisor

  
By: Richard VanderKlok  
Its: Clerk

**RESOLUTION FOR  
PETITION TO LOCATE, ESTABLISH AND CONSTRUCT A DRAIN**

**GEORGETOWN TOWNSHIP**

**MAIN STREET CHP, 20 DRAIN**

At a Regular meeting of the Georgetown Township Board, held in Ottawa County, State of Michigan on the 26th day of August, 2019, at 7:00 a.m./p.m.

PRESENT: Jim Wierenga, Rich VanderKlok, Jason Minier, Michael Bosch, Becky Steele, John Schwalm

ABSENT: Carol Scholma

The following resolution was offered by Rich VanderKlok and seconded by Becky Steele.

**WHEREAS**, the Township Board of Georgetown Township, Ottawa County, Michigan (the "Township"), has determined that the public improvement ("Project") described in the attached Exhibit A is necessary for the public health, safety, and welfare; and

**WHEREAS**, the Township Board desires to file a petition with the Ottawa County Water Resources Commissioner pursuant to Chapter 20 of the Drain Code, Act 40, Public Acts of Michigan, 1956, as amended, for the location, establishment, and construction of a county drain to facilitate implementation of the Project; and

**WHEREAS**, the tentative location of the proposed Baldwin Street Drain is described in the attached Exhibit B; and

**WHEREAS**, the Township will be liable for an assessment against it for the cost of the proposed drain and any costs related to the Project.

**NOW, THEREFORE, BE IT RESOLVED THAT** the Township Board does authorize the filing of a petition for the location, establishment and construction of the drain.

**BE IT FURTHER RESOLVED THAT** the Supervisor is authorized to execute the petition for the location, establishment and construction of the drain.

**BE IT FURTHER RESOLVED THAT** the Township Clerk shall forward to the Ottawa County Water Resources Commissioner a copy of this Resolution for the petition for the location, establishment and construction of the drain.

**BE IT FURTHER RESOLVED THAT** all resolutions and parts of resolutions insofar as they conflict with the provisions of this resolution be and the same hereby are rescinded.

**GEORGETOWN TOWNSHIP**

Dated: August 26, 2019

Jim Wierenga  
By: Jim Wierenga  
Its: Supervisor

Yeas: Bosch, Minier, Wierenga, VanderKlok, Steele, Schwalm

Nays: NA

Abstain: NA

Absent: Scholma

**Resolution No. 190826-06**

I, the undersigned, being duly qualified and acting Clerk of Georgetown Township, do hereby certify that the foregoing is a true and complete copy of certain proceedings taken by the Township Board for Georgetown Township at a regular meeting held on the 26th day of August, 2019, and that notice of said meeting was given in accordance with the Open Meetings Act.

Richard VanderKlok  
Richard VanderKlok, Clerk  
Georgetown Township

August 26, 2019  
Date

ROUTE AND COURSE DESCRIPTION

MAIN STREET DRAIN  
OTTAWA COUNTY, MICHIGAN

A COUNTY DRAIN ESTABLISHED UNDER CHAPTER 20 OF THE MICHIGAN DRAIN CODE OF 1956, LOCATED IN SECTION 13 OF GEORGETOWN TOWNSHIP, OTTAWA COUNTY, MICHIGAN, THE CENTERLINE OF WHICH IS MORE PARTICULARLY DESCRIBED AS:

COMMENCING AT THE EAST 1/4 CORNER OF SECTION 13, TOWN 6 NORTH, RANGE 13 WEST, GEORGETOWN TOWNSHIP, OTTAWA COUNTY, MICHIGAN; THENCE ALONG THE EAST LINE OF SAID SECTION S01°22'35"W 939.76 FEET; THENCE PARALLEL TO THE EAST-WEST 1/4 LINE OF SAID SECTION N88°29'20"W 531.76 FEET TO THE POINT OF BEGINNING; THENCE S82°42'33"W 216.24 FEET; THENCE S86°48'41"W 189.39 FEET; THENCE N02°47'13"E 25.71 FEET; THENCE N89°03'05"W 64.93 FEET; THENCE N04°48'50"W 113.44 FEET TO REFERENCE POINT "A"; THENCE N08°44'23"W 140.05 FEET; THENCE N23°09'19"W 120.34 FEET; THENCE N33°17'58"W 110.82 FEET; THENCE N47°13'01"W 115.17 FEET TO REFERENCE POINT "B"; THENCE N51°00'45"W 397.83 FEET TO REFERENCE POINT "C"; THENCE N51°37'02"W 97.73 FEET; THENCE N56°30'30"W 153.77 FEET; THENCE N50°12'36"W 87.61 FEET TO A POINT ON THE EAST-WEST 1/4 LINE OF SAID SECTION, SAID POINT BEING N88°29'20"W 1826.93 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION; THENCE ALONG THE EAST-WEST QUARTER LINE OF SAID SECTION N88°29'20"W 744.66 FEET TO THE POINT OF ENDING, SAID POINT BEING S88°29'20"E 87.60 FEET FROM THE CENTER 1/4 CORNER OF SAID SECTION. (2577.69 FEET)

ALSO, BEGINNING AT REFERENCE POINT "A"; THENCE N84°58'36"E 51.03 FEET; THENCE N02°45'42"W 100.25 FEET TO THE POINT OF ENDING, SAID POINT BEING S01°22'35"W 744.77 FEET AND N88°29'20"W 967.38 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION. (151.28 FEET)

ALSO, BEGINNING AT REFERENCE POINT "B"; THENCE N39°01'28"E 34.61 FEET; THENCE N51°23'31"W 243.73 FEET TO THE POINT OF ENDING, SAID POINT BEING S01°22'35"W 261.95 FEET AND N88°29'20"W 1407.77 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION. (278.34 FEET)

ALSO, BEGINNING AT REFERENCE POINT "C"; THENCE N34°52'32"E 34.86 FEET; THENCE N48°14'16"W 97.44 FEET; THENCE N30°50'07"W 30.16 FEET; THENCE N22°58'56"E 46.77 FEET; THENCE N01°22'35"E 33.28 FEET TO A POINT ON THE EAST-WEST 1/4 LINE, SAID POINT BEING N88°29'20"W 1603.84 FEET FROM THE EAST 1/4 CORNER OF SAID SECTION; THENCE N01°22'35"E 34.19 FEET TO THE POINT OF ENDING, SAID POINT BEING N01°22'35"E 34.19 FEET AND S88°29'20"E 1055.35 FEET FROM THE CENTER 1/4 CORNER OF SAID SECTION. (276.70 FEET)

TOTAL LENGTH OF DRAIN IS 3284 FEET MORE OR LESS.

THE ESTABLISHED DRAIN INCLUDES CONNECTED CATCHBASINS AND LEADS LOCATED WITHIN PUBLIC ROAD RIGHTS-OF-WAY ALONG THE ABOVE-DESCRIBED CENTERLINE OF THE DRAIN.

PREPARED BY:

FISHBECK, INC.  
1515 ARBORETUM DRIVE, SE  
GRAND RAPIDS, MICHIGAN 49546  
616.575.3824 | <https://fishbeck.com/>